

ਵਲੋਂ

ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈਡ ਕੁਆਟਰ) ਕਮ-ਕਨਵੀਨਰ
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ ਇੰਜੀਨੀਅਰਜ
ਪੰਜਾਬ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭਵਨ ਤੇ ਮਾਰਗ ਸਾਖਾ,
ਪਟਿਆਲਾ।

A&C Slip No 5 on CSR 2010

1.	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਐਨ.ਐਚ.), ਪੰਜਾਬ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ ਤੇ ਮ, ਨਿਰਮਾਣ ਭਵਨ, ਮਿੰਨੀ ਸਕੱਤਰੇਤ, ਪਟਿਆਲਾ (ਮੈਂਬਰ) ਫੋਨ ਨੰ: 0175-2362545	2.	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਆਈ.ਪੀ.), ਪੰਜਾਬ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ ਤੇ ਮ ਸਾਖਾ, ਐਸ.ਸੀ.ਓ. ਨੰ: 341-42, ਸੈਕਟਰ-34-ਏ, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ) ਫੋਨ ਨੰ: 0172-2665573, 2665395
3.	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਬਿਜਲੀ), ਪੰਜਾਬ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ ਤੇ ਮ, ਨਿਰਮਾਣ ਭਵਨ, ਮਿੰਨੀ ਸਕੱਤਰੇਤ, ਪਟਿਆਲਾ (ਮੈਂਬਰ) ਫੋਨ ਨੰ: 0175-2356293	4.	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਦੱਖਣ), ਪੰਜਾਬ, ਵਾਟਰ ਸਪਲਾਈ ਅਤੇ ਸੈਨੀਟੇਸ਼ਨ ਵਿਭਾਗ, ਮਾਲ ਰੋਡ, ਪਟਿਆਲਾ (ਮੈਂਬਰ) ਫੋਨ ਨੰ: 0175- 2212039
5.	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਕੈਨਾਲ), ਪੰਜਾਬ, ਸਿੰਚਾਈ ਵਿਭਾਗ, ਹਾਈਡਲ ਭਵਨ, ਸੈਕਟਰ-18, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ) ਫੋਨ ਨੰ: 0172-2549130	6.	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਡਰੇਨੇਜ), ਪੰਜਾਬ, ਸਿੰਚਾਈ ਵਿਭਾਗ, ਸਿੰਚਾਈ ਭਵਨ, ਸੈਕਟਰ-18, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ) ਫੋ.ਨੰ: 0172-2549635, ਫੈ.-0172-2379903
7.	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਲਾਈਨਿੰਗ), ਪੰਜਾਬ, ਸਿੰਚਾਈ ਵਿਭਾਗ, ਹਾਈਡਲ ਭਵਨ, ਸੈਕਟਰ-18, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ) ਫੋਨ ਨੰ: 0172-2724266	8.	ਮੁੱਖ ਇੰਜੀਨੀਅਰ, ਲੋਕਲ ਬਾਡੀਜ਼, ਪੰਜਾਬ, ਐਸ.ਸੀ.ਓ. ਨੰ: 131-32, ਸੈਕਟਰ 17-ਸੀ, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ) ਫੋ. 0172-2728241, ਫੈ. 0172-2701298
9.	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਉਤਰ) ਪੰਜਾਬ ਸਟੇਟ ਅਗਰੀਕਲਚਰਲ ਮਾਰਕੀਟਿੰਗ ਬੋਰਡ, ਐਸ.ਸੀ.ਓ. ਨੰ: 149-52 ਸੈਕਟਰ-17-ਸੀ, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ) ਫੋ.ਨੰ: 0172-2704930, ਫੈ.-0172-2709120	10.	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਪੁੱਡਾ), ਪੁੱਡਾ ਕੰਪਲੈਕਸ ਫੇਜ਼-8, ਐਸ.ਏ.ਐਸ. ਨਗਰ, ਮੁਹਾਲੀ (ਮੈਂਬਰ) ਫੋਨ ਨੰ: 0172-2215400
11.	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਸਿਵਲ), ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ., ਈ-4, ਸ਼ਕਤੀ ਵਿਹਾਰ, ਪਟਿਆਲਾ, ਫੈਕਸ 0175--2211396	12.	ਮੁੱਖ ਇੰਜੀਨੀਅਰ ਵਾਟਰ ਸਪਲਾਈ ਅਤੇ ਸਿਵਰੇਜ ਬੋਰਡ, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ)
13.	ਸੀਨੀਅਰ ਡਿਪਟੀ ਅਕਾਊਂਟੈਂਟ ਜਨਰਲ (ਐਡਮਨ), ਆਫਿਸ ਆਫ ਅਕਾਊਂਟੈਂਟ ਜਨਰਲ (ਏ ਐਂਡ ਈ), ਪੰਜਾਬ ਐਂਡ ਯੂ.ਟੀ. ਸੈਕਟਰ-17-ਈ, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ) ਫੋਨ ਨੰ: 0172-2702272	14.	ਡਿਪਟੀ ਸਕੱਤਰ ਪੰਜਾਬ ਸਰਕਾਰ, ਫਾਈਨੈਂਸ (ਕੇ) ਵਿਭਾਗ, ਮੇਨ ਸੈਕਟਰੀਏਟ, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ)
15.	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਸੈਂਟਰਲ), ਪੰਜਾਬ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ ਤੇ ਮ, ਨਿਰਮਾਣ ਭਵਨ, ਮਿੰਨੀ ਸਕੱਤਰੇਤ, ਪਟਿਆਲਾ (ਮੈਂਬਰ) ਫੋਨ ਨੰ: 0175-2356254	16.	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਨਾਰਥ-2), ਪੰਜਾਬ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ ਤੇ ਮ, ਨਿਰਮਾਣ ਭਵਨ, ਮਿੰਨੀ ਸਕੱਤਰੇਤ, ਪਟਿਆਲਾ (ਮੈਂਬਰ) ਫੋਨ ਨੰ: 0175-2364933
17.	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਸੈਂਟਰਲ), ਪੰਜਾਬ, ਵਾਟਰ ਸਪਲਾਈ ਅਤੇ ਸੈਨੀਟੇਸ਼ਨ ਵਿਭਾਗ, ਮਾਲ ਰੋਡ, ਪਟਿਆਲਾ ਫੋਨ ਨੰ: 0175-2212035	18.	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਸਾਊਥ), ਪੰਜਾਬ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ ਤੇ ਮ, ਮਿੰਨੀ ਸਕੱਤਰੇਤ, ਸੈਕਟਰ-9, ਚੰਡੀਗੜ੍ਹ ਫੋਨ ਨੰ: 0172-2742239
19.	ਲੈਡੀਨੋਟ ਜਨਰਲ ਸ੍ਰੀ ਬੀ.ਐਸ. ਧਾਲੀਵਾਲ (ਚਿਟਾ:), ਤਕਨੀਕੀ ਸਲਾਹਕਾਰ, ਮੁੱਖ ਮੰਤਰੀ, ਪੰਜਾਬ, ਐਸ.ਸੀ.ਓ. ਨੰ: 61-62, ਫੇਜ਼-2, ਪੀ ਆਰ ਬੀ ਡੀ ਬੀ. ਮੁਹਾਲੀ ਫੋਨ ਨੰ: 0172-6626606	20.	ਮੁੱਖ ਇੰਜੀਨੀਅਰ, ਰਣਜੀਤ ਸਾਗਰ ਡੈਮ (ਡਿਜਾਇਨ), ਹਾਈਡਲ ਬਿਲਡਿੰਗ, ਸੈਕਟਰ-18, ਚੰਡੀਗੜ੍ਹ ਫੋਨ ਨੰ: 0172-2727632

21. ਮੁੱਖ ਇੰਜੀਨੀਅਰ, ਭਾਖੜਾ ਬਿਆਸ ਮੈਨੇਜਮੈਂਟ ਬੋਰਡ, ਐਸ.ਐਲ.ਡੀ.ਸੀ ਕੰਪਲੈਕਸ, ਇੰਡਸਟਰੀਅਲ ਏਰੀਆ ਫੇਜ਼-1, ਸੈਕ 28, ਚੰਡੀਗੜ੍ਹ ਫੋਨ ਨੰ:0172-2654590,ਫੈ.0172-2640832	22. ਮੁੱਖ ਇੰਜੀਨੀਅਰ(ਦੱਖਣ) ਪੰਜਾਬ ਸਟੇਟ ਅਗਰੀਕਲਚਰਲ ਮਾਰਕੀਟਿੰਗ ਬੋਰਡ,ਐਸ.ਸੀ.ਓ. ਨੰ:149-52 ਸੈਕਟਰ-17-ਸੀ, ਚੰਡੀਗੜ੍ਹ ਫੋ.ਨੰ:172-5039109,ਫੈ.0172-2709120
23. ਮੁੱਖ ਇੰਜੀਨੀਅਰ-ਕਮ-ਮੁੱਖ ਚੌਕਸੀ ਅਫਸਰ, ਕੁਆਲਟੀ ਕੰਟਰੋਲ ਸੈਲ, ਪੰਜਾਬ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ ਤੇ ਮ ਸਾਖਾ, ਐਸ.ਸੀ.ਓ. ਨੰ:55-56, 3ਗਦ ਫਲੋਰ, ਸੈਕਟਰ 17-ਸੀ, ਚੰਡੀਗੜ੍ਹ, ਫੋਨਨੰ: 0172-2704613	24. ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਪੀ.ਆਰ.ਬੀ.ਡੀ.ਬੀ.), ਪੰਜਾਬ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ ਤੇ ਮ ਸਾਖਾ, ਐਸ.ਸੀ.ਓ. 61-62, ਫੇਜ਼-2, ਮੁਹਾਲੀ। ਫੋਨਨੰ: 0172-6626633,6626655
25. ਮੁੱਖ ਇੰਜੀਨੀਅਰ, ਪੰਜਾਬ, ਪੁਲਿਸ ਹਾਊਸਿੰਗ ਕਾਰਪੋਰੇਸ਼ਨ, ਐਸ.ਸੀ.ਓ. ਨੰ: 171-72, ਸੈਕਟਰ 8-ਸੀ, ਚੰਡੀਗੜ੍ਹ ਫੋ.ਨੰ:0172-5041971,ਫੈ. 0172-5041972	26. ਮੁੱਖ ਇੰਜੀਨੀਅਰ(ਉਤਰ), ਵਾਟਰ ਸਪਲਾਈ ਅਤੇ ਸੈਨੀਟੇਸ਼ਨ ਵਿਭਾਗ, ਮਾਲ ਰੋਡ, ਪਟਿਆਲਾ ਫੋ. ਨੰ:0175-212029,ਫੈ.0175-2212037

ਮੀਮੋ ਨੰ: 7027-7052 /ਸੀ.ਐਸ.ਆਰ ਮਿਤੀ: 18-9-2014

ਵਿਸ਼ਾ:- ਸੀ.ਐਸ.ਆਰ-2010 ਤੇ ਏ ਐਂਡ ਸੀ ਸਲਿਪ ਨੰ 5 ਜਾਰੀ ਕਰਨ ਸਬੰਧੀ।

ਤਕਨੀਕੀ ਸਲਾਹਕਾਰ, ਮਾਨਯੋਗ ਮੁੱਖ ਮੰਤਰੀ ਪੰਜਾਬ ਜੀ ਦੇ ਮੀਮੋ ਨੰ:ਏ.ਟੀ.ਪੀ./73/ਸੀ.ਐਸ.ਆਰ. ਮਿਤੀ 14-04-2014 ਰਾਹੀਂ ਲਿਖਿਆ ਗਿਆ ਸੀ ਕਿ IRC 67:2012 & MORTH-2013,(5th edittion) ਅਨੁਸਾਰ ਆਈਟਮਾਂ ਨੂੰ ਸੋਧਿਆ ਜਾਣਾ ਬਣਦਾ ਹੈ। ਆਈਟਮਾਂ ਦਾ ਸੋਧਿਆ ਹੋਇਆ ਵਰਣਨ ਉਹਨਾਂ ਵੱਲੋਂ ਭੇਜਿਆ ਗਿਆ ਸੀ। ਉਸ ਪ੍ਰਾਪਤ ਵਰਣਨ ਦੇ ਆਧਾਰ ਤੇ ਲੋੜੀਂਦੀਆਂ ਆਈਟਮਾਂ ਦੇ ਡਿਟੇਲਡ ਅਨੈਲਸਜ਼ ਸੋਧੇ ਗਏ ਸਨ। ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ ਇੰਜੀਨੀਅਰਜ ਦੀ ਪ੍ਰਵਾਨਗੀ ਸਰਕੁਲੇਸ਼ਨ ਵਿੱਚ ਪ੍ਰਾਪਤ ਕੀਤੀ ਗਈ ਹੈ। ਕਮੇਟੀ ਵਲੋਂ ਪ੍ਰਵਾਨ ਕੀਤਾ ਗਿਆ ਅਜੰਡਾ ਹੇਠ ਲਿਖੇ ਅਨੁਸਾਰ ਹੈ:-

1. ਸੀ.ਐਸ.ਆਰ.-2010 ਦੇ ਚੈਪਟਰ 24 ਦੇ ਡਿਟੇਲਡ ਅਨੈਲਸਜ਼ ਪ੍ਰਵਾਨਗੀ ਉਪਰੰਤ ਸੀ.ਐਸ.ਆਰ-2010 ਵਿੱਚ ਸੋਧਾਂ ਲਈ ਏ.ਐਂਡ ਸੀ. ਸਲਿਪ ਨੰ:5

ਕਮੇਟੀ ਵੱਲੋਂ ਪ੍ਰਵਾਨ ਕੀਤੀਆਂ ਸਿਫਾਰਿਸ਼ਾਂ ਤੁਰੰਤ ਲਾਗੂ ਹੋਣਗੀਆਂ।

ਨੱਥੀ/ਉਪਰੋਕਤ ਅਨੁਸਾਰ
ਏ ਐਂਡ ਸੀ ਸਲਿਪ ਨੰ 5

ਇੰਜ:ਜੀ.ਆਰ.ਬੈਂਸ
ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ:ਕੁ:) ਕਮ-ਕਨਵੀਨਰ
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ ਇੰਜੀਨੀਅਰਜ,
ਪੰਜਾਬ ਲੋ:ਨਿ:ਵਿ:, ਭ ਤੇ ਮ, ਪਟਿਆਲਾ।

ਪਿੱਠ ਅੰਕਣ ਨੰ: 7053 /ਸੀ.ਐਸ.ਆਰ

1. ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਹੇਠ ਲਿਖਿਆਂ ਨੂੰ ਸੂਚਨਾ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ ਜੀ:-
ਪੀ.ਏ.ਟੂ ਮੰਤਰੀ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭਵਨ ਤੇ ਮਾਰਗ, ਚੰਡੀਗੜ੍ਹ ਜੀ ਦੀ ਸੂਚਨਾ ਹਿੱਤ।

ਨੱਥੀ/ਉਪਰੋਕਤ ਅਨੁਸਾਰ
ਏ ਐਂਡ ਸੀ ਸਲਿਪ ਨੰ 5

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ(ਸੀ.ਐਸ.ਆਰ.)
ਵਾ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ:ਕੁ) ਕਮ-ਕਨਵੀਨਰ
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ ਇੰਜੀਨੀਅਰਜ,
ਪੰਜਾਬ ਲੋ:ਨਿ:ਵਿ:, ਭ ਤੇ ਮ, ਪਟਿਆਲਾ।

ਪਿੱਠ ਅੰਕਣ ਨੰ: 7054 /ਸੀ.ਐਸ.ਆਰ

1. ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਹੇਠ ਲਿਖਿਆਂ ਨੂੰ ਸੂਚਨਾ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ ਜੀ।
ਸਕੱਤਰ, ਪੰਜਾਬ ਸਰਕਾਰ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭਵਨ ਤੇ ਮਾਰਗ ਸਾਖਾ, ਚੰਡੀਗੜ੍ਹ।

ਨੱਥੀ/ਉਪਰੋਕਤ ਅਨੁਸਾਰ
ਏ ਐਂਡ ਸੀ ਸਲਿਪ ਨੰ 5

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ(ਸੀ.ਐਸ.ਆਰ.)
ਵਾ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ:ਕੁ) ਕਮ-ਕਨਵੀਨਰ
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ ਇੰਜੀਨੀਅਰਜ,
ਪੰਜਾਬ ਲੋ:ਨਿ:ਵਿ:, ਭ ਤੇ ਮ, ਪਟਿਆਲਾ।

ਪਿੱਠ ਅੰਕਣ ਨੰ: 7055-7096

/ਸੀ.ਐਸ.ਆਰ

ਮਿਤੀ: 18-9-2014

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਹੇਠ ਲਿਖਿਆਂ ਨੂੰ ਸੂਚਨਾ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ ਜੀ।

1. ਕਨਵੀਨਰ-ਕਮ-ਨਿਗਰਾਨ ਇੰਜੀਨੀਅਰ, ਜ਼ੋਨਲ ਕਮੇਟੀ ਫਾਰ ਜ਼ੋਨ-ਏ, ਉਸਾਰੀ ਹਲਕਾ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭਵਨ ਤੇ ਮਾਰਗ ਸ਼ਾਖਾ, ਹੁਸ਼ਿਆਰਪੁਰ।
2. ਸਾਰੇ ਨਿਗਰਾਨ ਇੰਜੀਨੀਅਰ ਸਾਰੇ ਨਿਗਰਾਨ ਇੰਜੀਨੀਅਰ (ਉਸਾਰੀ ਹਲਕਾ, ਅੰਮ੍ਰਿਤਸਰ/ਬਠਿੰਡਾ/ਚੰਡੀਗੜ੍ਹ/ਫਰੀਦਕੋਟ/ਫਿਰੋਜ਼ਪੁਰ/ਹੁਸ਼ਿਆਰਪੁਰ/ਜਲੰਧਰ-1/ਜਲੰਧਰ-2/ਲੁਧਿਆਣਾ/ਪਟਿਆਲਾ-1/ਪਟਿਆਲਾ-2/ਪਠਾਨਕੋਟ/ਸੰਗਰੂਰ/ਕੇਂਦਰੀ ਕਾਰਜ ਹਲਕਾ, ਅੰਮ੍ਰਿਤਸਰ/ਫਿਰੋਜ਼ਪੁਰ/ਲੁਧਿਆਣਾ/ਚੰਡੀਗੜ੍ਹ/ਬਿਜਲੀ ਹਲਕਾ, (ਉੱਤਰ) ਚੰਡੀਗੜ੍ਹ/ ਬਿਜਲੀ ਹਲਕਾ (ਦੱਖਣ) ਪਟਿਆਲਾ/ ਮਕੈਨੀਕਲ ਹਲਕਾ, ਪਟਿਆਲਾ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭਵਨ ਤੇ ਮਾਰਗ ਸ਼ਾਖਾ।
3. ਸਾਰੇ ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ ਅਤੇ ਭਾਗ ਮੁੱਖੀ, ਮੁੱਖ ਦਫਤਰ, ਪਟਿਆਲਾ।

ਨੱਥੀ/ਉਪਰੋਕਤ ਅਨੁਸਾਰ
ਏ ਐਂਡ ਸੀ ਸਲਿਪ ਨੰ 5

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ(ਸੀ.ਐਸ.ਆਰ.)
ਵਾ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ:ਕੁ) ਕਮ-ਕਨਵੀਨਰ
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ ਇੰਜੀਨੀਅਰਜ,
ਪੰਜਾਬ ਲੋ:ਨਿ:ਵਿ: ਭ ਤੇ ਮ, ਪਟਿਆਲਾ।

[Handwritten signature]
15/9/14

ਪਿੱਠ ਅੰਕਣ ਨੰ: 7097

/ਸੀ.ਐਸ.ਆਰ

ਮਿਤੀ: 18-9-2014

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਹੇਠ ਲਿਖਿਆਂ ਨੂੰ ਭੇਜਕੇ ਲਿਖਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਇਸਦੀ ਕਾਪੀ ਵੈਬਸਾਈਟ
www.pwdpunjab.gov.in, www.prbdb.gov.in ਤੇ ਉਪਲੱਬਧ ਕਰਵਾਈ ਜਾਵੇ।

1. ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਪੀ.ਆਰ.ਬੀ.ਡੀ.ਬੀ.), ਪੰਜਾਬ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ ਤੇ ਮ, ਐਸ.ਸੀ.ਓ.
ਨੰ:61-62, ਫੇਜ਼-2, ਮੋਹਾਲੀ।

ਨੱਥੀ/ਉਪਰੋਕਤ ਅਨੁਸਾਰ
ਏ ਐਂਡ ਸੀ ਸਲਿਪ ਨੰ 5

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ(ਸੀ.ਐਸ.ਆਰ.)
ਵਾ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ:ਕੁ) ਕਮ-ਕਨਵੀਨਰ
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ ਇੰਜੀਨੀਅਰਜ,
ਪੰਜਾਬ ਲੋ:ਨਿ:ਵਿ: ਭ ਤੇ ਮ, ਪਟਿਆਲਾ।

[Handwritten signature]
15/9/14

PROPOSED ADDENDA & CORRIGENDUM No. 5 to CSR-2010

Annexure 3 /

Sr. No	Page No.	Item No.	Col. No.	Line No.	As Existing	To be Amended	Remarks
1	259	24.44 a	2	5	6	7	8
2	260					<p>Cautionary Sign Board 900x900x900mm Triangular</p> <p>Cautionary sign board 900x900x900mm triangular as per IRC 67- 2012 with high intensity Microprismatic grade retro reflective Sheeting Type XI as per ASTM D 4956 09 and as per IRC 67 2012 fixed over 4mm thick aluminium Composite material (ACM) sheeting having aluminium skin thickness of 0.4 to 0.5 mm on both sided and fixing the same with suitable size aluminium alloy riverts @ 200 mm c/c to back support frame of 25x25x3mm angle iron supported on a mild steel angle iron post 65x65x6mm without cost of definition plate firmly fixed to ground in foundation concrete M-25 of size 0.45x0.45x0.75m for vertical post complete as per clause 801 of MORT&H specifications. A 10 years pre-qualification warranty as per clause 6.9 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test reports from an independent, test laboratory conforming to clause 6.7 of IRC 67-2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted</p>	<p>Entire existing item deleted and replaced with new revised specifications.</p>
3	260		3				
4	260		5				
5	260		7				
							each
							5600.00
							5646.57

Approved

Sr. No	Page No.	Item No.	Col. No.	Line No.	As Existing	To be Amended	Remarks
1	2	3	4	5	6	7	8
6	260	24.44 b	2			Cautionary Sign Board 600x600x600mm triangular	
7	260					Cautionary sign board 600x600x600mm triangular as per IRC 67-2012 with high intensity Microprismatic grade retro reflective Sheeting Type XI as per ASTM D 4956 - 09 and as per IRC 67 - 2012. fixed over 3mm thick aluminium Composite material (ACM) sheeting having aluminium skin thickness of 0.25 to 0.3 mm on both sides and fixing the same with suitable size aluminium alloy rivets @ 200 mm c/c to back support frame of 25x25x3mm angle iron supported on a mild steel angle iron post 65x65x6mm without cost of definition plate firmly fixed to ground in foundation concrete M-25 of size 0.45x0.45x0.60m for vertical post complete as per clause 801 of MORT&H specifications. A 10 years pre-qualification warranty as per clause 6.9 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test reports from an independent test laboratory conforming to clause 6.7 of IRC 67-2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted	Entire existing item deleted and replaced with new revised specifications.
8	260		3			each	
9	260		5			3623.85	
10	260		7			3670.42	
11	260	24.45 a	2			Mandatory Sign Board 900mm Circular or Octagonal	

Peranda

Sr. No.	Page No.	Item No.	Col. No.	Line No.	As Existing	To be Amended	Remarks
1	2	3	4	5	6	7	8
12	260					<p>Mandatory sign board 900mm circular as per IRC 67-2012 with high intensity Microprismatic grade retro reflective Sheeting Type XI as per ASTM D 4956 - 09 and as per IRC 67 - 2012. Fixed over 4mm thick aluminium Composite material (ACM) sheeting having aluminium skin thickness of 0.4 to 0.5 mm on both sided and fixing the same with suitable size aluminium alloy rivets @ 200 mm c/c to back support frame of 25x25x3mm angle iron supported on a mild steel angle iron post 65x85x6mm without coat of definition plate firmly fixed to ground in foundation concrete M-25 of size 0.45x0.45x0.60m for vertical post, complete as per clause 801 of MORT&H specifications. A 10 years pre-qualification warranty as per clause 6.9 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test reports from an independent test laboratory conforming to clause 6.7 of IRC 67-2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted!</p>	<p>Entire existing item deleted and replaced with new revised specifications.</p>
13	260		3			each	
14	260		5			8286.17	
15	260		7			8332.74	
16	260	24.45 b	2			Mandatory Sign Board 600mm Circular or Octagonal	

Handwritten signature

Sr. No	Page No.	Item No.	Col. No.	Line No.	As Existing	To be Amended	Remarks
1	2	3	4	5	6	7	8
17	261					<p>Mandatory sign board 600mm circular as per IRC 67-2012 with high intensity Microprismatic grade retro reflective Sheeting Type XI as per ASTM D 4956 - 09 and as per IRC 67 - 2012. Fixed over 3mm thick aluminium Composite material (ACM) sheeting having aluminium skin thickness of 0.25 to 0.3 mm on both sided and fixing the same with suitable size aluminium alloy rivets @ 200 mm c/c to back support frame of 25x25x3mm angle iron supported on a mild steel angle iron post 65x65x6mm without cost of definition plate firmly fixed to ground in foundation concrete M-25 of size 0.45x0.45x0.60m for vertical post complete as per clause 801 of MORT&H specifications. A 10 years pre-qualification warranty as per clause 6.9 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test reports from an independent test laboratory conforming to clause 6.7 of IRC 67-2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted.</p>	Entire existing item deleted and replaced with new revised specifications.
18	261		3			each	
19	261		5			4807.69	
20	261		7			4854.26	
21	261	24.46 a	2			Informatory Sign Board 800x600mm Rectangular	<i>Resh</i>

Sr. No.	Page No.	Item No.	Col. No.	Line No.	As Existing	To be Amended	Remarks
1	2	3	4	5	6	7	8
22	261					<p>Informatory sign board 800x600mm rectangular as per IRC 67- 2012 with high intensity Microprismatic grade retro reflective Sheeting Type XI as per ASTM D 4956 - 09 and as per IRC 67 - 2012. fixed over 4mm thick aluminium Composite material (ACM) sheeting having aluminium skin thickness of 0.4 to 0.5 mm on both sides and fixing the same with suitable size aluminium alloy riverts @ 200 mm c/c to back support frame of 25x25x3mm angle iron supported on a mild steel angle iron post 65x65x6mm without cost of definition plate firmly fixed to ground in foundation concrete M-25 of size 0.45x0.45x0.60m for vertical post complete as per clause 801 of MORT&H specifications. A 10 years pre-qualification warranty as per clause 6.9 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test reports from an independent test laboratory conforming to clause 6.7 of IRC 67-2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted.</p>	Entire existing item deleted and replaced with new revised specifications.
23	261		3			each	
24	261		5			6743.36	
25	261		7			6789.93	
26	261	24.46 b	2			Informatory Sign Board 600x450mm Rectangular	<i>Perced</i>

Sr. No	Page No.	Item No.	Col. No.	Line No.	As Existing	To be Amended	Remarks
1	2	3	4	5	6	7	8
27	261					<p>Informatory sign board 600x450mm rectangular as per IRC 67-2012 with high intensity Microprismatic grade retro reflective Sheeting Type XI as per ASTM D 4956 - 09 and as per IRC 67 - 2012. fixed over 3mm thick aluminium Composite material (ACM) sheeting having aluminium skin thickness of 0.25 to 0.3 mm on both sided and fixing the same with suitable size aluminium alloy rivets @ 200 mm c/c to back support frame of 25x25x3mm angle iron supported on a mild steel angle iron post 65x65x8mm without cost of definition plate firmly fixed to ground in foundation concrete M-25 of size 0.45x0.45x0.60m for vertical post complete as per clause 801 of MORT&H specifications. A 10 years pre-qualification warranty as per clause 6.9 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test reports from an independent test laboratory conforming to clause 6.7 of IRC 67-2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted</p>	Entire existing item deleted and replaced with new revised specifications.
28	261		3			each	
29	261		5			4664.02	
30	261		7			4710.59	
31	261	24.46 c	2			Informatory Sign Board 600x600mm Square	Form

Sr. No.	Page No.	Item No.	Col. No.	Line No.	As Existing	To be Amended	Remarks
1	2	3	4	5	6	7	8
32	262					<p>Informatory sign board 600x600mm square as per IRC 67-2012 with high intensity Microprismatic grade retro reflective Sheeting Type XI as per ASTM D 4958 - 09 and as per IRC 67 - 2012. with retro reflective high intensity microprismatic grade sheeting fixed over 3mm thick Aluminium Composite Material (ACM) sheeting having aluminium skin thickness of 0.25 to 0.3 mm on both sides and fixing the same with suitable size aluminium alloy rivets @ 200 mm c/c to back support frame of 25x25x3mm angle iron supported on a mild steel angle iron post 65x65x6mm without cost of definition plate firmly fixed to ground in foundation concrete M-25 of size 1.45x0.45x0.60m for vertical post complete as per clause 801 of MORT&H specifications. A 10 year, pre-qualification warranty as per clause 6.9 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test reports from an independent test laboratory conforming to clause 6.7 of IRC 67-2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted</p>	Entire existing item deleted and replaced with new revised specifications.
33	262		3			each	
34	262		5			5537.30	
35	262		7			5583.87	
36	262	24.47	2			Place Identification Sign Board 9.0x600mm Rectangular	Amended

Sr. No	Page No.	Item No.	Col. No.	Line No.	As Existing	To be Amended	Remarks
1	2	3	4	5	6	7	8
37	262					Place identification sign board 900x600mm rectangular as per IRC 67-2012 with high intensity Microprismatic grade retro reflective Sheeting Type XI as per ASTM D 4956 - 09 and as per IRC 67 - 2012 fixed over 4mm thick aluminium Composite material (ACM) sheeting having aluminium skin thickness of 0.4 to 0.5 mm on both sided and fixing the same with suitable size aluminium alloy rivets @ 200 mm c/c to back support frame of 25x25x3mm angle iron supported on two mild steel angle iron post 65x65x6mm firmly fixed to ground in foundation concrete M-25 of size 0.45x0.45x0.60m for vertical post complete as per clause 801 of MORT&H specifications. A 10 years pre-qualification warranty as per clause 6.9 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test reports from an independent test laboratory conforming to clause 6.7 of IRC 67-2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted	Entire existing item deleted and replaced with new revised specifications.
38	262		3			each	
39	262		5			8962.75	
40	262		7			9009.32	
41	262	24.48 a	2			Advance Direction Sign Board 900x900mm Square	<i>Proch</i>

Sr. No	Page No.	Item No.	Col. No.	Line No.	As Existing	To be Amended	Remarks
1	2	3	4	5	6	7	8
42	262					Advance Direction sign board 900x900mm square as per IRC 67- 2012 with high intensity Microprismatic grade retro reflective Sheeting Type XI as per ASTM D 4956 - 09 and as per IRC 67 - 2012. fixed over 4mm thick aluminium Composite material (ACM) sheeting having aluminium skin thickness of 0.4 to 0.5 mm on both sides and fixing the same with suitable size aluminium alloy rivets @ 200 mm c/c to back support frame of 25x25x3mm angle iron supported on two mild steel angle iron post 65x65x6mm firmly fixed to ground in foundation concrete M-25 of size 0.60x0.60x0.75m for vertical post complete as per clause 801 of MORT&H specifications . A 10 years pre-qualification warranty as per clause 6.9 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test reports from an independent test laboratory conforming to clause 6.7 of IRC 67- 2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted	Entire existing item deleted and replaced with new revised specifications.
43	262		3			each	
44	262		5			12916.80	
45	262		7			12963.37	
46	262	24.48 b	2			Advance Direction Sign Board 1200x900mm Rectangular	

Sr. No	Page No.	Item No.	Col. No.	Line No.	As Existing	To be Amended	Remarks
1	2	3	4	5	6	7	8
47	263					Advance Direction sign board 1200x900mm rectangular per IRC 67-2012 with high intensity Microprismatic grade retro reflective Sheeting Type XI as per ASTM D 4956 - 09 and as per IRC 67 - 2012. grade sheeting fixed over 4mm thick Aluminium Composite Material (ACM) sheeting having aluminium skin thickness of 0.4 to 0.5 mm on both sided and fixing the same with suitable size aluminium alloy rivets @ 200 mm c/c to back support frame of 25x25x3mm angle iron supported on two mild steel angle iron posts 65x65x6mm firmly fixed to ground in foundation concrete M-25 of size 0.60x0.60x0.75m for vertical post complete as per clause 801 of MORT&H specifications. A 10 years pre-qualification warranty as per clause 6.9 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test reports from an independent test laboratory conforming to clause 6.7 of IRC 67-2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted	Entire existing item deleted and replaced with new revised specifications.
48	263		3			each	
49	263		5			15978.48	
50	263		7			16071.63	
51	263	24.48 c	2			Advance Direction Sign Board 1200x1200mm Rectangular	<i>Ravi</i>

Sr. No	Page No.	Item No.	Col. No.	Line No.	As Existing	To be Amended	Remarks
1	2	3	4	5	6	7	8
52	263					Advance Direction sign board 1200x1200mm rectangular as per IRC 67- 2012 with high intensity Microprismatic grade retro reflective Sheeting Type XI as per ASTM D 4956 - 09 and as per IRC 67 - 2012. fixed over 4mm thick Aluminium Composite Material (ACM) sheeting having aluminium skin thickness of 0.4 to 0.5 mm on both sided and fixing the same with suitable size aluminium alloy riverts @ 200 min c/c to back support frame of 25x25x3mm angle iron supported on two mild steel angle iron posts 65x65x6mm firmly fixed to ground in foundation concrete M-25 of size 0.60x0.60x0.75m for vertical post complete as per clause 801 of MORT&H specifications. A 10 years pre-qualification warranty as per clause 6.9 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test reports from an independent test laboratory conforming to clause 6.7 of IRC 67-2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted	Entire existing item deleted and replaced with new revised specifications.
53	263		3			each	
54	263		5			19834.67	
55	263		7			19927.82	
56	263	24.48 d	2			Advance Direction Sign Board 1200x1800mm Rectangular	<i>Resh</i>

Sr. No.	Page No.	Item No.	Col. No.	Line No.	As Existing	To be Amended	Remarks
57	263	3	4	5	6	7	8
						Advance Direction sign board 1200x1800mm rectangular as per IRC 67-2012 with high intensity Microprismatic grade retro reflective Sheeting Type XI as per ASTM D 4956 - 09 and as per IRC 67 - 2012. fixed over 4mm thick Aluminium Composite Material (ACM) sheeting having aluminium skin thickness of 0.4 to 0.5 mm on both sided and fixing the same with suitable size aluminium alloy riverts @ 200 mm c/c to back support frame of 25x25x3mm angle iron supported on two mild steel angle iron posts 65x65x6mm firmly fixed to ground in foundation concrete M-25 of size 0.60x0.60x0.75m for vertical post complete as per clause 801 of MORT&H specifications. A 10 years pre-qualification warranty as per clause 6.9 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test reports from an independent test laboratory conforming to clause 6.7 of IRC 67-2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted	Entire existing item deleted and replaced with new revised specifications.
58	263		3			each	
59	263		5			25874.30	
60	263		7			25997.91	
61	263	24.49	2			Definition Plate 600x200mm Rectangular	

Sr. No.	Page No.	Item No.	Co. No.	Line No.	As Existing	To be Amended	Remarks
1	2	3	4	5	E	7	8
62	254					<p>Definition Plate 600x200mm rectangular as per as per IRC 67-2012 with high intensity Microprismatic grade retro reflective Sheeting Type XI as per ASTM D 4956 - D9 and as per IRC 67-2012. specifications. Fixed over 3mm thick Aluminium Composite Material (ACM) sheeting having aluminium skin thickness of 0.25 to 0.3 mm on both sides and fixing the same with suitable size aluminium alloy rivets @ 200 mm c/c to back support frame welded with vertical post of sign board complete as per clause 801 of MORT&H specifications. A 10 years pre-qualification warranty as per clause 6.9 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test reports from an independent test laboratory conforming to clause 6.7 of IRC 67-2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted</p>	Entire existing item deleted and replaced with new revised specifications
63	264		3			each	
64	264		5			1306.58	
65	264		7			1315.36	
66	264	24.51 a	2			Direction/Dimension Plate 500x300mm Rectangular	

Sl. No.	Page No.	Item No.	Col. No.	Line No.	As Existing	To be Amended	Remarks
1	2	3	4	5	6	7	8
57	264					<p>Direction/Diversion Plate 900x300mm rectangular as per IRC 37-2012 with high intensity Microprismatic grade retro reflective Sheeting Type XI as per ASTM D 4958-09 and as per IRC 67-2012 specifications. fixed over 4mm thick Aluminium Composite Material (ACM) sheeting having aluminium skin thickness of 0.4 to 0.5 mm on both sides and fixing the same with suitable size aluminium alloy rivets @ 230 mm c/c to back support frame fixed in position complete as per clause 801 of MORT&H specifications. A 10 years pre-qualification warranty as per clause 6.9 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test reports from an independent test laboratory conforming to clause 6.7 of IRC 67-2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted.</p>	Entire existing item deleted and replaced with new revised specifications.
68	264		3			each	
69	264		5			2511.81	
70	264		7			2513.57	
71	264	24.50 b	2			Direction/Diversion Plate 180x300mm Rectangular	

Handwritten signature

Sr. No.	Page No.	Item No.	Col. No.	Line No.	As Existing	To be Altered	Remarks
1	2	3	4	5	6	7	8
72	264					<p>Direction/Diversion Flats: 80x300mm rectangular as per IRC 67-2012 with high intensity Microprismatic grade reflective Sheeting Type XI as per ASTM D-956-09 and as per IRC 67-2012, fixed over 4mm thick Aluminium Composite Material (ACM) sheeting having aluminium skin thickness of 0.4 to 0.5 mm on both sides and fixing the same with suitable size aluminium alloy rivets @ 200 mm c/c & back support frame fixed in position complete as per clause 6.9 of MORT&H specifications. specifications, 10 years pre-qualification warranty as per clause 6.9 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test reports from an independent test laboratory conforming to clause 6.7 of IRC 67-2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted</p>	Entire existing item deleted and replaced with new revised specifications.
73	264		3			each	
74	264		5			4997.26	
75	264		7			4969.02	

Sr. No	Page No.	Item No.	Q. No.	Line No.	As Existing	To be Amended	Remarks
1	2	3	4	5	6	7	8
81	264	24.52 a	2			<p>Overhead Sign Board 600x500mm Cantilever Type Single Sided Overhead sign board 600x50mm cantilever type single sided as per IRC 67-2012 with high intensity Microprismatic grade retro reflective Sheeting Type XI as per AS 71 D 4956 - 09 and as per IRC 67 - 2012 fixed over 4mm thick Aluminium Composite Material (ACM) sheeting having aluminium skin thickness of 0.5 mm on both sides and fixing the same with suitable size aluminium alloy rivets @ 200 mm c/c to back support frame of 40x40x6mm angle iron supported on designed single support system of MS pipe and plates in the form of a cantilever type truss made with 350NB pipe @ 50kg per mtr as vertical support, 50NB pipe @ 45kg per mtr and 40NB pipe @ 3.61kg per mtr for truss including base plates, gusset plates designed R.C. foundation for fixing in ground complete as per clause 802 of MORT&H specifications. A 10 years re-qualification warranty as per clause 6.9 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test report from an independent test laboratory conforming to clause 6.7 of IRC 67-2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted.</p>	<p>Entire existing item deleted and replaced with new revised specifications.</p>
83	265		3				
84	265		5				
85	265		7				
							each
							225685.05
							227652.51

Am

Sr. No	Page No.	Item No.	Qty. No.	Line No.	As Existing	Remarks
1	2	3	4	5	6	7
86	264	24.52 b	2			Overhead Sign Board 500x1500mm Cantilever Type Double Sided Overhead sign board 6000x1500mm cantilever type double sided as per IRC 67-2012 with high intensity Microprismatic grade retro reflective Sheeting Type XI as per AS 1744 4956 - 09 and as per IRC 67 - 2012 fixed over 4mm thick Aluminium Composite Material (ACM) sheeting having aluminium skin thickness of 0.4 to 0.5 mm on both sided and fixing the same with suitable size aluminium alloy rivets @ 300 mm c/c to back support frame of 40x40mm angle iron supported on designed single support system of MS pipe and plates in the form of a cantilever type truss made with 350NB pipe @ 40x40 per mtr as vertical support, 50NB pipe @ 40x40 per mtr and 40NB pipe @ 3.61kg per mtr for truss including base plates, gusset plates, designed RCC foundation for fixing in ground complete as per clause 802 of MORT&H specifications. A 10 years pre-qualification warranty as per clause 6.3 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test reports from an independent test laboratory conforming to clause 6.7 of IRC 67-2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted.
88	265		3			each
89	265		5			316155.56
90	265		7			318205.84
						Entire existing item deleted and replaced with new revised specifications.

Sl. No	Page No.	Item No.	Col. No.	Line No.	As Existing	To be Amended	Remarks
1	2	3	4	5	6	7	8
91	265	24.53	2			Overhead Sign Board 900x1500mm Simply Supported Type Double sided	
92	265					Overhead sign board 900x1500mm simply supported type double sided as per IRC 67-2012 with high intensity Microismatic grade retro reflective Sheeting Type XI as per ASTM D 4956 - 09 and as per IRC 67 - 2012 fixed over 4mm thick aluminium Composite material (ACM) sheeting having aluminium skin thickness of 0.4 to 0.5 mm on both sided and fixing the same with suitable size aluminium alloy rivets @ 200 mm c/c to back support frame of 40x40x5mm angle iron supported on designed double support system of MS pipe and plates in the form of a simply supported type truss made with 350NB pipe @ 50kgper mtr as vertical support, 50NB pipe @ 4.50kg per mtr and 40NB pipe @ 3.61kg per mtr for truss including base plates, gusset plates, designed RCC foundation for fixing in ground concrete as per clause 802 of MORT&H specifications A 10 years pre-qualification warranty as per clause 6.9 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test reports from an independent test laboratory conforming to clause 6.7 of IRC 67-2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted.	Entire existing item deleted and replaced with new revised specifications.
93	266		3			each	
94	266		5			503625.66	
95	266		7			507087.22	

Handwritten signature

Sr. No	Page No.	Item No.	Col. No.	Line No.	As Existing	To be Amended	Remarks
1	2	3	4	5	6	7	8
96	265	24.54	2			Overhead Sign Board 12000x1500mm Simply Supported Type Double Sided	
97	266					Overhead sign board 12000x1500mm simply supported type double sided as per IRC 67-2012 with high intensity Microprismatic grade retro reflective Sheeting Type XI as per ASTM D 4956 - 09 and as per IRC 67 . fixed over 4mm thick aluminium Composite material (ACM) sheeting having aluminium skin thickness of 0.4 to 0.5 mm on both sided and fixing the same with suitable size aluminium alloy rivets @ 200 mm c/c to back support frame of 40x40x6mm angle iron supported on designed double support system of MS pipe and plates in the form of a simply supported type truss made with 350NB pipe @50kg per mtr as vertical support, 50NB pipe @ 4.50kg per mtr and 40NB pipe @ 3.61kg per mtr for truss including base plates, gusset plates, designed RCC foundation for fixing in ground complete as per clause 802 of MORT&H specifications. A 10 years pre-qualification warranty as per clause 6.5 of IRC 67-2012 for Type XI retro reflective sheeting from the manufacturer & a certified copy of test reports from an independent test laboratory confirming to clause 6.7 of IRC 67-2012 including 3 years outdoor weather exposure report for the retro reflective sheeting offered shall be submitted.	Entire existing item deleted and replaced with new revised specifications.
98	266		3			each	
99	266		5			629212.90	
100	266		7			633655.05	

[Handwritten signature]